



CE

ISO9001
CERTIFIED




dynea

HOMAG

FLOOR COVERING BAMBOO

2016-2017 Selection



A Subsidiary of Yekalon Group

Add.: 3rd Floor, Jinxiu Bldg., Wenjin Middle Road, Luohu District, Shenzhen, 518003, P.R.China
Tel: 0086-755-25160926/21527355 Fax: +86 755 25419566 Email: webmaster@yekalon.com
Yekalon Web: www.yekalon.com Bergeim Web: www.bergeimfloors.com



Bergeim Wechat



Yekalon Website



BERGEIM
FLOORS



WHY BERGEIM

Yekalon Industry Inc., established in 1997, is aiming to supply high quality flooring to better your life. Bergeim is one of Yekalon's flooring brand, apply to Wood & Bamboo, and Laminate flooring. Its brand image is Zoro, stands for top quality flooring.

Bergeim is an integrated production enterprise, including wood&bamboo flooring, and laminate flooring. Our production bases are located in Hubei province. We are entitled to cultivate and develop around 200 million sq. mt forest resources, which guarantee the quality control from raw material to each production process.

Bergeim bamboo flooring is well received in countries all over the world. A large number of world-renowned chain stores, flooring distributors and importers have established long-term business relationship with us. We will always deliver more than you expect.

Tap&Go global patent locking system, developed by Yekalon, is widely applied in high quality Wood&Bamboo and Laminated flooring. No glue, no nail installation enables you the DIY pleasure and saves you large amount of labour cost.

Choose Bergeim flooring, choose better life.

Introduction

Flooring Surface	01-02
Flooring Specification	03-04

Products

Noble collection	05-16
Excelle collection	17-30
Flooring accessories	31-32

Tap&Go Flooring Installation and Warranty	33-34
---	-------


Bergeim Integrated Manufacturing Base	35-36
---	-------

Tap&Go Locking System	37-40
-----------------------------	-------

Flooring Surface

Profile of Coatings

7-12 layers quality lacquer, low emission, unique color, better anti-scratch



- 1.Water based Primer
- 2.Lubrication primer
- 3.Heavy Putty
- 4.UV Normal Primer
- 5.Light Putty
- 6.Anti-abrasive primer
- 7.Transparent elastic primer
- 8.UV Normal Primer
- 9.Sanding primer
- 10.Back lacquer
- 11.Anti-abrasive primer(color)
- 12.Anti-scratch primer(gloss)

Different Finish

■ Natural color

The surface is without any special treatment, just 7-12 layers of transparent lacquer. Thus pure bamboo color and real bamboo grain comes without any disturbing elements to this style. Inspiration comes from nature's tranquil palette, creating a cool interior look.

■ Stained color

Stained color process just like make-up, could bring the floor with rich appearance. For light stained, we could get both the natural bamboo grain and beautiful coating. For dark color is very attractive alternative to many design.

■ Carbonized

The bamboo is under high temperature and high press for carbonization.


- The bamboo organic can be decomposed, no insect or fungi can grow in it. And under the circumstance, the color of bamboo change to teak color which looks more beautiful.
- Carbonized floor is more stable, for it decreases the moisture absorption and internal stress of bamboo.

■ Textured surface: brushed, handscraped, wood grain

Bamboo surface grain is emphasised by the special treatment. It is an antique look. This flooring is a unique combination of craftsmanship and selected raw materials. Most floor is usually a mix of light brushing, staining, sanding and coloured oil etc.

Strand woven bamboo flooring

100% solid, made of bamboo fiber and press under 2400T pressure. Density & hardness is almost twice than solid bamboo, more stable & durability.natural wood feeling




Solid bamboo flooring--Horizontal

Assembled by selected bamboo strips, horizontal structure,with bamboo knots, natural wood feeling material, environmental friendly,affordable price



Solid bamboo flooring--Vertical

Assembled by selected bamboo strips, vertical structure,with bamboo knots, natural wood feeling material, environmental friendly,affordable price



Flooring Specification

Specification of Bergeim Bamboo Flooring

Class	Structure	Product	Grade	Click	Size(L*W*T)mm
4-5 star	Solid	Strandwoven Bamboo	A	Tap&Go	1830/915*125*14
3-5 star					1830/915*125*12
4-5 star			A	Tongue&Groove	1830/915*130*14
3-5 star					1830/915*130*12
3-4 star	Engineered	Bamboo+HDF	A	Tap&Go	920*135*12/2
3-4 star		Bamboo+Plywood	A	Tap&Go	920*135*12/2
3-4 star		Bamboo+Plywood	A	Tap&Go	920*135*14/2
3-4 star	Solid	Solid Bamboo	A	Tongue&Groove	960*96*15
3-4 star					1020*130*15
3-4 star					1020*130*17
3-5 star					980*98*10
4-5 star	Solid	Strandwoven Bamboo	A	Tongue&Groove	2200*227*14
4-5 star	Solid	Outdoor Strand woven Bamboo	A	Tongue&Groove	1870*139*18/20

Remark: The above specification is our standard size & match, For customer made, contact with us.Bamboo is a natural product with natural color variations. Colors in the catalogue is for reference only.





Noble Collection

The Noble collection of Strandwoven bamboo flooring with its mysterious oriental charm make your home unique. Its incredible hardness, durability, and stability make it an ideal choice for high-traffic residential and commercial applications.

Class	Structure	Product	Grade	Click	Size(L*W*T)mm
4-5 star	Solid	Strandwoven Bamboo	A	Tap&Go	1830/915*125*14
3-5 star					1830/915*125*12
4-5 star			A	Tongue&Groove	1830/915*130*14
3-5 star					1830/915*130*12
3-4 star	Engineered	Bamboo+HDF	A	Tap&Go	920*135*12/2
3-4 star		Bamboo+Plywood	A	Tap&Go	920*135*12/2
3-4 star		Bamboo+Plywood	A	Tap&Go	920*135*14/2
4-5 star	Solid	Outdoor Strand woven Bamboo	A	Tongue&Groove	1870*139*18/20

Gorgeous Series

Nature is the characteristic of life. Different stained colors make your floor unique and bring an amazing feeling.



SW-01 Champagne



SW-02 carbonized




SW-03 Tiger



SW-02 Carbonized



SW-04 White



SW-05 Wheat



SW-06 Santos Mahogany



SW-06 Santos Mahogany

Vintage Series

Time adds beauty, character, elegance and uniqueness. Brushed & Handscraped floor brings you back to the moment of happiness.



SW-21 Natural color with white brushed



SW-21 Natural color with white brushed





SW-22 Carbonized color with black brushed



Gorgeous Series

Nature is the characteristic of life. Different stained colors make your floor unique and bring an amazing feeling.



SW-08 Walnut



SW-08 Walnut



SW-24 Handscraped Tobacco

Vintage Series


Times add beauty, character, elegance and uniqueness to flooring. Handscraped bamboo flooring is scraped by hand not by machine, and bring an amazing, exotic style to your home.



SW-23 Handscraped Elm



SW-24 Handscraped Tobacco



SW-25 Handscraped Grey



SW-26 Handscraped Illusion



Tivoli Series

Mist, creeping over the flooring, cast a veil over everything. Dancing and dreaming, back your time to Tivoli

Tivoli series

Mist, creeping over the flooring, cast a veil over everything. Dancing and dreaming, back your time to Tivoli



SW-N-1 Millennium



SW-N-1 Twilight



SW-N-3 Chaplin




SW-N-4 Secret



SW-N-5 Misty



SW-N-6 Rhythm



SW-N-7 Snowberg





Bamboo Decking



Bamboo decking Series

Outside the building, simple but classic, elegant and durable, enjoy every moment of life with the purity.



Bamdeck 01-Carbonized



Bamdeck 02-Black





Excelle Collection

Excelle Collection is to meet or exceed the performance of traditional hardwood flooring, and can be specified as a replacement by its beauty, eco-friendly and hardness.

Inspired by nature, touch the knots of bamboo, feel the warmth in winter and cool in summer, either modern or classic style, Excelle Collection offers a full array of design choices for your house/apartment/office/etc. It is the perfect choice for those seeking an ecological product of incomparable beauty and superior quality.

Class	Structure	Product	Grade	Click	Size(L*W*T)mm
3-4 star	Solid	Solid Bamboo (Horizontal & Vertical)	A	Tongue&Groove	960*96*15
3-4 star					1020*130*15
3-4 star					1020*130*17
3-5 star					980*98*10
4-5 star	Solid	Strandwoven Bamboo (wood grain)	A	Tongue&Groove	2200*227*14

Lohas Series

The simple style brings regression to natural life. Change color, change style, and change mood. Stained color is not just a choice of color, more a choice of life.



VN-01 Vertical Natural



HN-01 Horizontal Natural




HC-01 Horizontal Carbonized



VC-01 Vertical Carbonized




HC-01 Horizontal Carbonized




HC-02 Kempas




HC-03 Espresso



HC-04 Black



HC-05 Chocolate



HC-05 Chocolate

Lohas Series

The simple style brings regression to natural life. Change color, change style, and change mood. Stained color is not just a choice of color, more a choice of life.



VC-02 Wheat



VN-03 White



VC-03 Wenge



VN-03 White



HSC-02 Black

Country Series

Handscraped floors present an elegance that is both warm and natural, with unique textures and carvings that are delicately crafted by hand. It offers a classic, unique look for both traditional and contemporary home decor.




HSC-01 Carbonized



HSC-02 Black



HSC-03 Cherry



HSC-04 chocolate

Bauhaus Series

Less is more, natural is better. criss-cross is the constructive art of durable bamboo, simple style and geometric elements make it much stronger, that is bamboo, real bamboo.



Bauhaus Series

Less is more, natural is better. criss-cross is the constructive art of durable bamboo, simple style and geometric elements make it much stronger, that is bamboo, real bamboo.



SH-1

SH-2

Class	Structure	Product	Grade	Click	Size(L*W*T)mm
4-5 star	Solid	Criss-Cross Horizontal (CCH-1,CCH-2)	A	Tongue&Groove	1920*150*15
4-5 star		Vertical+Horizontal+Vertical (VHV-1,VHV-2)			1920*150*15
4-5 star		SW+Horizontal+SW (SH-1,SH-2)			1850*142*14/4
4-5 star		SW+Horizontal+SW (SH-1,SH-2)			1850*142*14/4



Bamwood Series


Creativeness is the source of this Series , it shows real wood grain and yield unconditional beauty. Bamboo materials with wood appearance makes impossible to be possible.



HWG-01 Santos Mahoga



HWG-02 Tiger Wood



HWG-03 Oak Cognac



HWG-04 Oak Walnut



HWG-03 Oak Cognac



Bamwood Series


Creativeness is the source of this Series , it shows real wood grain and yield unconditional beauty. Bamboo materials with wood appearance makes impossible to be possible.



SWG-01



SWG-02



SWG-03



SWG-04



SWG-05



SWG-05



SWG-06




UNDERLayment & HAMMER



YKL-RC700



YKL-RF2001



YKL-RF2007



YKL-RF2007



Black Underlayment



YKL-RF3004



YKL-RF5001



YKL-RF8003



YKL-RF8004



Rubber Hammer

ACCESSORIES




Wall Base:

A decorative molding that is nailed to the walls on top of the flooring, or it can be used with quarter round.



Quarter Round:

Used along the base of the walls against the wood baseboard to cover the required expansion gap between the flooring and the wall.



Threshold:

Used in doorways, at sliding doors, against fireplaces, etc. when abutting joining rooms that have floors of different heights.



Reducer:

Used to smoothly taper the edge of the wood floor down onto another surface.



T-molding:

Used as a transition piece between two floors that are of the same height.



Stair Nosing:

Used on the front edge of a step.






Stair Tread:

Used on the front edge of a step.



Bamboo plywood is made of fine layers of bamboo strips laying in parallel order. The strips are kiln dried, sanded smooth and then laminated edge to edge to create a single-ply panel. These panels are then laminated again to each other to create a multi-ply bamboo plywood with free formaldehyde emission. The multi layers are cross-laminated and heat pressed together to provide stability and to prevent warping. 3-4 times more dimensionally stable than Oak. Bamboo plywood comes in unfinished sheets.



Bamboo Plywood Grain: Horizontal or Vertical or Strand Woven

Bamboo Plywood Color: Natural or Carbonized

Solid Bamboo Plywood Dimensions

2440*1220*18/20/30mm, 2240*650*40mm or customize size


Solid Strandwoven Bamboo Plywood Dimensions

1830*1220*18/30mm or customize size

BAMBOO PLYWOOD USED


Kitchen cabinet, Kitchen countertop, Furniture, Ceiling, Wall decoration

Preparation




Installation

NOTE: Please examine all the flooring before installing for the colour, finish, quality and style. The manufacturer will not assume any responsibility for the above once the product has been installed.



Care and Maintenance



Detailed Care Maintenance Tips:

DO:

- Wipe up liquid or food spills promptly with dry cloth or paper towels.
- Remove sticky residue (like jelly) with a slightly dampened cloth.
- For general cleaning add 1/4 cup of white vinegar to 1 quart of warm water.
- Daily Cleaning: Remove loose dirt and grit, dust mop, broom sweep, electric broom or vacuum.
- Use interior and exterior doormats at entrances to collect dirt and moisture and prevent it from being tracked onto the floor.
- Area rugs are recommended in front of kitchen sinks, at all pivot points and within high-traffic areas. The rugs must be made of a breathable material to prevent moisture entrapment.
- Place runners and area rugs (with slip-resistant backings) along high-traffic areas.
- Keep animal nails trimmed to prevent finish scratches.
- To prevent surface damage avoid rolling heavy appliances and furniture on the floor. Use plywood hardboard or appliance lifts, if necessary.
- Use furniture leg protector pads under all furniture legs.
- Replace hard, narrow furniture rollers with wide rubber rollers.
- Keep the relative humidity in your home between 45% and 65%.
- Protect your floor from direct sunlight.
- Please make sure that the temperature and humidity are moderate in the room.

DON'T:

- Use any of the following products (or products similar in nature) on your floor: ammonia based cleaners, acrylic finishes, wax based products, detergents, bleach, polishes and oil soaps, abrasive cleaning soaps or acidic materials such as vinegar.
- Allow water to stand on your floor for any length of time – wipe up immediately.
- Walk across your floor in poorly maintained shoes with heel taps, spike heels or with any sharp object protruding from your shoe.
- Allow furniture to rest on the floor on small metal tips or hard domes.
- Use rubber, foam back or plastic mats as they may trap moisture and possibly discolor your floor.
- Use vacuums with beater bars or hard heads.
- Allow “spike heel” type shoes to indent wood floors, especially if the heel tip is damaged or has lost its rubber pad.
- Leave your flooring exposed to direct sunlight for long periods of time.

Limited Warranty

- A 25 year Structural Integrity Warranty
- A 5 year finish and wear warranty

These warranties, which begin from the date of purchase, apply to products used in dry residential applications.

Warranty Coverage:

Finish and Wear Warranty ---We warrant that its finish surface will not peel off or wear through for the indicated period of time, from the date of purchase.

Structural Integrity Warranty--- We warrant that these solid bamboo products in their original manufactured conditions are free from defect in material and workmanship including assembly dimension and grading.

These warranties DO NOT COVER damages or defects resulting from or in any way attributed to:

- Improper storage, handling or installation of the products.
- Excessive or inadequate humidity in the area. Relative humidity in the area of use should be within a normal range of 45%-65%.
- Abuse, lack of maintenance, neglect, abnormal use or misuse, negligence, corrosive chemicals and other unintended uses.
- Failure due to structural changes in the sub-floor, the settling of building or uneven sub-floor that has not been adequately leveled.
- Variations in color, markings, patterns, fading or darkening that are naturally occurring or develop over time.
- Damage caused during shipping is the responsibility of the shipping company.
- Dents or scratches.
- Changes in color due to full or partial exposure to sunlight and weather.
- Separations between boards caused by expansion and contract during seasonal and temperature changes.
- Installation or use of flooring with visible defects.

Bergeim Integrated Manufacturing Base

"Bergeim Integrated Manufacturing Base" contains constructing one million acres of modern forestry base, rebuilding and upgrading 280 thousand square meters of environmentally friendly core production base, enlarging 20 million square meters of low-carbon ecotypic flooring manufacturing base, setting up large-scale modern furniture production base, developing one million acres of forestry and industry three-dimensional project, and building ten thousand square meters of modern research and development center and ten thousand square meters of modern display center. The total investment reaches several billion yuan. Also, the whole construction of the production base was strictly following international standards ISO19001, ISO140001, CE Authentication, and CARB Authentication. "Bergeim Integrated Manufacturing Base" is an industrial model factory integrating garden workshop, ecotypic flats, automatic power-saving manufacturing pile line, and dustless workshop.



Client Testimony

Selim from USA on Tap&Go Installation

This is one of the best products we have used in the USA so far. The installation of this flooring is the easiest process as long as you follow the video guide they send you. You do not need professional labor to do the installation. Any handyman or you yourself can install it. If you have any Mexicans working for you, it should not cost you more than \$.50/ sq. ft. The only thing is that you have to ensure your surface is even and flat. Even slight variations are not acceptable. The surface must be flat and even. It applies to any hardwood floor.

Also, make sure that you order transition strips and baseboards with your flooring.

Bright is very professional and honest person. He is very reliable and is a pleasure to work with. We highly recommend him and his company.

Fabio from Argentina on Strandwoven bamboo floor

The product is something completely new in the market but is very well accepted. I can say one is tried it is adopted, we are having a continuous growth of this line 25% monthly, people start to talk about strandwoven bamboo floor as the "new wonderful product"

Considering the growth of the product I can think we will reach 2 containers/month for 2nd semester next year.

Eddy from Rwanda on Oak wood floor

Thank you very much for making this beautiful engineered flooring wood. A good rich looking and a good multi-layer structure. The appearance is so beautiful.

Glenn from Canada on Acacia wood floor

So far all the ACACIA wood floor seems to be good quality with no difficulty. The pad is good too.





How to Select the Real Valuable Flooring?

Tip 1

One piece = The whole flooring

The quality of one piece of flooring is equal to those of the Whole flooring after installation.

One piece ≠ The whole flooring

Fact: Actually, the quality of one piece of flooring is just one aspect of overall effect of the whole flooring after installation.

The real valuable flooring not only demands single plank is beautiful, healthy and durable, but also requires the whole flooring gap, separation and warp resistant for long-time use after installation. Otherwise it will be easy to get dusty and grow germ in the joint, and no longer keep artistic, healthy or durable.

Tip 2

Construction quality=Installation quality

Construction quality + Floor joint technology= Installation quality

Fact: The installation technology plays a decisive role especially in heating floor system. Superior joint technology is a key factor in preventing separation and gap problems between the flooring.

Tip 3


The higher price of floors = The higher purchase cost

The purchase cost= Material cost + Installation cost + Usage cost

Fact: The consumers' real purchase cost is hugely influenced by the installation cost and the usage cost like maintenance cost, warranty, psychology feeling, effect to health, etc.



Gap-Resistant



Warp-Resistant




Separation-Resistant

- One of three **world-class** flooring click patent;
- Innovative hook joint structure with **smart groove**, to be installed by vertical tapping along edges of the planks.
- Most Advanced** Locking system, particularly good for **wood and bamboo floors**.


Structure

1. 4-side Lock:

The elasticity groove design is applied in both long and short end sides. TAP&GO's special 4 sides' Locking technology ensures the installed floors hard to dispart after installation while other locking floorings are easily apart rom short ends.




The UP HOOK




The LOW HOOK

2. Drop lock structure:

It is provided for more option to the customer with less tap, especially the DIY home users who have less experience of installation. The combination of the drop lock short side with the orginal strong long side still gives perfect performance on the final installation effect.



Droplock click on the short side for UP-HOOK



Droplock click on the short side for LOW-HOOK



3) Easier installation

To be simply installed by tapping-in the edge of the planks, One person with one rubber mallet is all needed.



4) Eco-Friendly

• Low formaldehyde

TAP&GO locking flooring formaldehyde emission rate is far below than the normal or low quality ones. Moreover, Tap&Go locking installation requires no glue, which makes the floor more natural and safe.

Tap&Go Flooring Structure



Solid Strandwoven Bamboo Flooring



Solid Strandwoven Bamboo Flooring



Bamboo+HDF Flooring



Solid Bamboo Flooring

Advantages




1) Trusted Quality Material

TAP&GO floors adopted high quality raw materials, excellent technology and advanced equipment.



2) Stronger Locking

The wider and deeper design of TAP&GO locking system makes TAP&GO locking much stronger, no loosing or departing. Meanwhile, the intelligent Groove in the up hook is an innovative technology, which enables the hook shrink and expands with good elasticity, and makes planks truly firmly locked together.



1st of Flooring Connecting Technology
— "Bean curd block" Connecting Technology



2nd Generation of Flooring Connecting Technology
— "Tongue&Groove" Connecting Technology



3rd Generation of Flooring Connecting Technology
Horizontal Connecting Technology



4th Generation of Flooring Connecting Technology
3R click Connecting Technology



Generation	Invented	Joint	Installation			Gap/ Separation	Recycle Used	Heating System	Eco-friendly		Application
			Glue/ Nail	Keel	Easy				Formaldehyde Emission	Bacteria/ Dust	
1st G	—	Non	✓	✓	✗	➡—➡	✗	✗	✗	✗	Solid wood
2nd G	1950	Tongue& Groove	✓	✓	✗	➡—➡	✗	★	✗	✗	Solid/Engineered /Bamboo
3rd G	1996	Locking System	✗	✗	★	➡—➡	✓	★★	✗	✗	Laminate
4th G	2006	Smart Locking System	✗	✗	★★	➡—➡	✓	★★	✗	✗	Solid/Engineered /Laminate/Bamboo